



CHANNEL SCREEDS / SOFFIT VENTS

PRODUCT ID: PCS

Compare to: DCS, RD, RP, RH

DESCRIPTION: PCS channel screeds are a recessed reveal which offer an architectural accent while providing a control joint. Channel screeds can be used both horizontally and vertically on walls, ceilings and curved for radius applications or vented for circulation.

MATERIAL: Aluminum Alloy 6063 T5 **THICKNESS:** Nominal .050 **ASTM:** B 221

LENGTH: Standard: 10 ft.



FINISH: Standard - Clear Anodized (Architectural 200R1 med. Etch AAM32C10A21)
Also available: Alodine® or Chem-Film a.k.a. 'chemical conversion', Custom anodized finishes, Kynar® fluoro-polymer extrusion coating

OPTIONS: **Intersections** – 4-Way, 3-Way, 2-Way, I/S and O/S Corners in mitered as well as notched configurations are available.

Radius – Channel screeds can be curved to meet your required job specifications

Venting - All channel screeds from 1/2" width to 4" are available with venting

Bug screen – All vented channel screeds are available with fiberglass mesh bug screen attached to the unexposed side of the vented surface.



Dim. A	Dim. B	Part #	Soffit Vent Pt #
3/8"	1/2"	PCS 375-50	PCS 375-V-50
1/2"	1/2"	PCS 50-50	PCS 50-V-50
1/2"	3/4"	PCS 50-75	PCS 50-V-75
1/2"	1"	PCS 50-100	PCS 50-V-100
1/2"	1-1/2"	PCS 50-150	PCS 50-V-150
1/2"	2"	PCS 50-200	PCS 50-V-200
1/2"	3"	PCS 50-300	PCS 50-V-300
1/2"	4"	PCS 50-400	PCS 50-V-400
5/8"	1/2"	PCS 625-50	PCS 625-V-50
5/8"	3/4"	PCS 625-75	PCS 625-V-75
5/8"	1"	PCS 625-100	PCS 625-V-100
5/8"	1-1/2"	PCS 625-150	PCS 625-V-150
5/8"	2"	PCS 625-200	PCS 625-V-200
3/4"	1/2"	PCS 75-50	PCS 75-V-50
3/4"	3/4"	PCS 75-75	PCS 75-V-75
3/4"	1"	PCS 75-100	PCS 75-V-100
3/4"	1-1/2"	PCS 75-150	PCS 75-V-150
3/4"	2"	PCS 75-200	PCS 75-V-200
3/4"	3"	PCS 75-300	PCS 75-V-300
3/4"	4"	PCS 75-400	PCS 75-V-400
3/4"	4"	PCS 75-400	PCS 75-V-400
1-1/2"	1-1/2"	PCS 150-150	N.A.