




DRYWALL Z REVEAL OVERVIEW



EXCLUSIVE BREAK AWAY FLANGE

DESCRIPTION


The Extruded Aluminum 'Drywall Z' Reveal trim with tapered nail flanges creates a shadow reveal when used next to doors, windows and at the base of walls. The tapered flange allows for applying tape and joint compound for a clean finish.

MATERIAL


MATERIAL: Aluminum Alloy 6063 T5 ASTM: B221
 THICKNESS: Nominal .050
 LENGTH: Standard 10 ft.
 FINISH: Standard-Clear anodized Architectural 200R1 Medium Etch AAM32C10A21
 Also available: 'Mill Finish' for field painting and custom anodized colors.

OPTIONS

Radius - Drywall Z reveals can be curved to meet your required job specifications (Radius Order Form)



DRYWALL Z REVEAL ID CHART



ID	DIM A	DIM B	DIM C
DZ 25-25	1/4"	1/4"	3/4"
DZ 50-25	1/2"	1/4"	3/4"
DZ 50-375	1/2"	3/8"	3/4"
DZ 50-50	1/2"	1/2"	3/4"
DZ 50-625	1/2"	5/8"	3/4"
DZ 50-75	1/2"	3/4"	3/4"
DZ 50-100	1/2"	1"	3/4"
DZ 50-200	1/2"	2"	3/4"
DZ 625-25	5/8"	1/4"	3/4"
DZ 625-375	5/8"	3/8"	3/4"
DZ 625-50	5/8"	1/2"	3/4"
DZ 625-625	5/8"	5/8"	3/4"
DZ 625-75	5/8"	3/4"	3/4"
DZ 625-100	5/8"	1"	3/4"
DZ 625-150	5/8"	1-1/2"	3/4"
DZ 625-200	5/8"	2"	3/4"
DZ 625-300	5/8"	3"	3/4"
DZ 625-400	5/8"	4"	3/4"


DRYWALL Z REVEAL INTERSECTIONS & CORNERS

Inside and outside corners are miter cut and then welded on the nail flanges. The standard size is 6" x 6" but we will gladly fabricate whatever size your job requires for easier installation. When intersections are not specified, our exclusive **BREAK AWAY** flanges are the only solution in the industry that allows you to butt these trims in a horizontal and vertical condition.


INSIDE CORNER



OUTSIDE CORNER



2-WAY L OUTSIDE CORNER




2-WAY L INSIDE CORNER



DRYWALL Z REVEAL RADIUS/CURVING

Brand X Metals, Inc. has in-house capabilities to curve interior and exterior trims for your job specifications. The DZ Series trims can be curved in four directions.

TYPE-1



TYPE-2



TYPE-3



TYPE-4

